



PRO LIFE ERA
HOMEOPATHY JOURNAL

Role of Constitutional Medicine In Mental Diseases



Dr. Durgesh Nandini Verma

Abstract-Mental diseases represent a major challenge in clinical practice because they involve disturbances in emotions, cognition, behaviour, sleep, interpersonal relationships and overall functioning

Conventional mental-health care commonly involves psychological interventions, pharmacological treatment, social support and rehabilitation. Within homeopathic practice, constitutional prescribing attempts to individualise treatment by considering the patient's characteristic mental, emotional, general and physical symptoms as a unified picture.

The constitutional approach is based on the principle that treatment should be individualised rather than prescribed solely according to a diagnostic label. Mental symptoms may therefore assume considerable importance during case-taking and repertorisation. The physician attempts to identify characteristic symptoms, modalities, causative factors, maintaining factors and the patient's overall constitutional pattern before selecting a remedy.

However, the clinical evidence supporting homeopathy for mental disorders remains limited. Systematic reviews of homeopathic treatment in psychiatry have reported heterogeneous and often methodologically limited evidence, with inconsistent findings across conditions such as anxiety, depression and attention-deficit/hyperactivity disorder. Therefore,

constitutional homeopathic treatment should not be presented as a replacement for established psychiatric care, particularly in severe depression, psychosis, bipolar disorder, suicidal behavior or other emergencies. Appropriate referral, psychiatric assessment and evidence-based treatment remain essential.

Keywords-Constitutional medicine, Homeopathy, Mental diseases, Individualisation, Mental symptoms, Repertorisation, Holistic approach, Psychiatry.

Introduction-Mental health disorders affect an individual's emotional, psychological, cognitive and social functioning. Conditions such as anxiety disorders, depressive disorders, obsessive-compulsive disorder, bipolar disorder and psychotic disorders can substantially affect quality of life and may require long-term multidisciplinary care.

The World Health Organization's Mental Health Gap Action Programme (mhGAP) emphasizes evidence-based interventions for mental, neurological and substance-use disorders, including psychological and pharmacological approaches according to the clinical condition.

Homeopathy approaches the patient from an Individualized perspective. In constitutional prescribing, the physician does not consider the disease diagnosis alone but attempts to understand the patient's characteristic response to illness. The mental and emotional characteristics of the patient may form an important part of the totality of symptoms.

Concept of Constitutional Medicine-

Constitutional medicine in homeopathy refers to an individualised therapeutic approach in which the medicine is selected according to the totality of characteristic symptoms of the patient. The constitutional assessment may include:

- Mental and emotional characteristics
- Physical generals
- Particular symptoms
- Modalities
- Food and drink preferences
- Sleep and dreams
- Thermal preferences
- Reactions to environmental factors
- Susceptibility to illness
- Causative and maintaining factors
- Past personal and family history

The purpose of constitutional prescribing is to identify the most characteristic pattern of the individual rather than simply prescribing according to the diagnostic name.

Importance of Mental Symptoms-

Mental symptoms may provide important individualising information during homeopathic case-taking. Symptoms such as fear, anxiety, irritability, sadness, grief, insecurity, suspiciousness, compulsive behaviour, sensitivity, anger or withdrawal may differ considerably between patients with the same conventional diagnosis.

For example, two patients diagnosed with an anxiety disorder may present differently. One may have anxiety associated with anticipation, marked need for reassurance and fear of failure, whereas another may have anxiety

associated with irritability, restlessness, sensitivity to criticism and difficulty expressing emotions.

From a homeopathic perspective, these differences may contribute to remedy selection. However, mental symptoms should be assessed clinically and contextually and not interpreted in isolation from the patient's diagnosis, severity, risk factors, social circumstances and functional impairment.


Constitutional Approach to Case-Taking-

A comprehensive case-taking process is central to individualised prescribing.

- **Presenting Complaint:** Establish the chief complaint, duration, onset, progression, severity and effect on daily functioning.
- **Causative Factors:** Explore possible precipitating factors such as grief, relationship difficulties, occupational stress, trauma, illness, loss, substance use or major life changes.
- **Mental and Emotional Characteristics:** Assess characteristic emotional responses, fears, anxieties, anger, mood changes, interpersonal patterns, concentration, memory and behavioural changes.



- **Physical Generals:** Consider appetite, thirst, sleep, thermal preferences, energy, menstrual history where relevant, food preferences and other general characteristics.
- **Particular Symptoms:** Evaluate specific physical symptoms associated with the mental condition along with their modalities.
- **Past and Family History:** Consider previous episodes, treatment history, medical illnesses, psychiatric history and



relevant family history.

• **Repertorisation:** Characteristic symptoms may be converted into appropriate repertorial rubrics and analysed to identify possible remedies.

Role of Constitutional Medicine in Selected Mental Conditions

Depression-Depressive disorders may present with persistent sadness, loss of interest, reduced energy, sleep disturbance, appetite changes, hopelessness and impaired concentration. From a constitutional homeopathic perspective, the individual emotional pattern, causative circumstances and associated physical symptoms are considered during remedy selection. Research on homeopathy for depression has produced mixed findings and remains insufficient to establish efficacy.

Anxiety Disorders-Anxiety may present with excessive fear, apprehension, restlessness, physical symptoms and disturbed sleep. Systematic review evidence has been limited and contradictory. Constitutional case-taking may nevertheless provide a framework for understanding the individual's subjective experience and identifying characteristic symptoms.

Obsessive-Compulsive Symptoms-Patients may experience recurrent intrusive thoughts and repetitive behaviours. In constitutional practice, the content and characteristics of the thoughts, emotional reactions, compulsive behaviour and associated general symptoms may be explored. Because OCD can significantly impair functioning, appropriate psychiatric assessment and evidence-based

psychological treatment should remain central.

Bipolar Disorder-Bipolar disorder involves episodes of depression and mania or hypomania. Because manic episodes can involve severe behavioural disturbance, impaired judgement and potential risk, timely psychiatric assessment is essential. Constitutional homeopathic treatment should not be regarded as a substitute for established mood-stabilising treatment or emergency psychiatric care.

Psychotic Disorders-Psychotic disorders may involve hallucinations, delusions, disorganised thinking and behavioural disturbances. Such presentations require careful psychiatric assessment and appropriate evidence-based management. Homeopathy should not delay referral or treatment in cases of acute psychosis.

Individualisation and the Therapeutic Relationship-One potential contribution of constitutional practice is the emphasis placed on detailed listening and individualised consultation. A patient may feel that the consultation provides an opportunity to discuss emotional experiences, fears, relationships, stress and personal circumstances. A respectful therapeutic relationship can be valuable in healthcare irrespective of the treatment system being used.

Nevertheless, improvement following a consultation cannot by itself establish that a particular homeopathic remedy caused the improvement. Clinical outcomes may be influenced by multiple factors, including natural disease fluctuations, therapeutic attention, psychological support, concurrent treatment and placebo effects.

Evidence Regarding Homeopathy in Psychiatry-Evidence specifically examining homeopathic treatment in psychiatric conditions remains limited.

A 2011 systematic review identified 25 randomized placebo-controlled studies involving psychiatric or related conditions. The investigators reported

variable study quality and mixed results; evidence for anxiety or stress was not convincing, while other conditions showed inconsistent findings.

A later meta-analysis published in 2020 identified only nine randomized controlled trials meeting its inclusion criteria for psychiatric disorders, involving conditions including major depressive disorder, generalized anxiety disorder, ADHD and premenstrual disorders. The authors emphasized that conclusive evidence regarding efficacy and safety was not available.

Similarly, a systematic review of anxiety disorders concluded that the evidence was insufficient to establish firm conclusions regarding the effectiveness of homeopathy.

These findings highlight the need for well-designed, adequately powered and independently conducted clinical trials.

Safety and Ethical Considerations-Mental-health conditions require particular attention to patient safety.

The following situations require urgent assessment and appropriate referral:

- Suicidal thoughts or suicidal behavior
- Severe self-neglect
- Psychotic symptoms
- Severe mania or behavioural disturbance
- Altered consciousness
- Severe substance-related problems
- Risk of harm to self or others
- Rapid deterioration in mental state

Constitutional homeopathic treatment should therefore be integrated responsibly within the broader healthcare system rather than used to delay necessary psychiatric intervention. The WHO mhGAP guideline provides evidence-based recommendations for mental, neurological and substance-use conditions and emphasizes appropriate psychological and medical interventions.

Limitations of the Constitutional Approach

• Constitutional prescribing is highly individualised, making standardisation difficult.

• Different practitioners may select different remedies from the same case.

• Many clinical studies have methodological limitations.

• High-quality evidence specifically supporting constitutional homeopathy for major psychiatric disorders remains insufficient.

• Mental disorders can have serious consequences if effective treatment is delayed.

• Severe psychiatric illness requires multidisciplinary management.

Future research should use rigorous diagnostic criteria, appropriate control groups, adequate sample sizes, validated outcome measures and transparent reporting.

Conclusion-Constitutional medicine occupies an important conceptual position within classical homeopathic practice because it emphasizes individualisation and considers the patient's mental, emotional, physical and general characteristics as a whole.

In mental diseases, detailed case-taking may help the clinician understand the patient's subjective experience, characteristic symptoms and individual response to stress and illness. However, the current scientific evidence for homeopathy in psychiatric disorders remains limited and inconsistent. Therefore, constitutional homeopathy should be considered, where legally and clinically appropriate, as a complementary approach rather than a replacement for evidence-based psychiatric care.

A responsible approach to mental healthcare should combine compassionate listening, careful assessment, appropriate referral, patient safety, evidence-based psychological and medical treatment, and ongoing clinical monitoring.

References-1. World Health Organization. Mental Health Gap Action Programme (mhGAP) guideline for mental, neurological and substance use

disorders. 3rd ed. Geneva: World Health Organization; 2023.

2. World Health Organization. Pharmacological treatment of mental disorders in primary health care. Geneva: World Health Organization.

3. Davidson JRT, Crawford C, Ives JA, Jonas WB. Homeopathic treatments in psychiatry: a systematic review of randomized placebo-controlled studies. *Journal of Clinical Psychiatry*. 2011;72(6):795–805. doi:10.4088/JCP.10r06580.

4. Pilkington K, Kirkwood G, Rampes H, Fisher P, Richardson J. Homeopathy for anxiety and anxiety disorders: a systematic review of the research. *Homeopathy*. 2006;95(3):151–162. doi:10.1016/j.homp.2006.05.005.

5. Mathie RT, Ulbrich-Zürni S, Viksveen P, Roberts ER, Baitson ES, Legg LA, Davidson JRT. Systematic review and meta-analysis of randomised, other-than-placebo controlled, trials of individualised homeopathic treatment. *Homeopathy*. 2018;107(4):229–243.

6. Davidson JRT, Crawford C, Ives JA, Jonas WB. Homeopathic remedies in psychiatric disorders: a meta-analysis of randomized controlled trials. *Journal of Clinical Psychiatry*. 2020.

7. Homeopathy in the treatment of depression: a systematic review. *European Journal of Integrative Medicine*. 2018;22:22–36.

8. Mathie RT, et al. Randomised placebo-controlled trials of individualised homeopathic treatment: systematic review and meta-analysis. *Systematic Reviews*. 2014/2015.

Author-Dr. Durgeshnandini Verma
MD Part 2 (Organon of Medicine)
Foster Development Homeopathic
Medical College, Chhatrapati
Sambhajanagar
Under the Guidance of -
Dr. Dayanand Hingole
(Guide and Professor)