A National Platform For Modern Homoeopathy Research

PRO LIFE ERA

Homoeopathy Journal - Modern Research & Case Studies

e-ISSN XXXX-XXXX | Volume - 1 | Issue - 4 | Bhopal | Publish Date 1st June 2026

Disclaimer: The views expressed in the articles and advertisements published in Pro Life Era are those of the respective authors and advertisers. The publisher and the Editorial Board do not necessarily agree with these views and are not legally responsible for them. In the event of any legal dispute, the jurisdiction shall remain exclusively in Bhopal.

HIGHLIGHTS

- Exploring The Role of External Applications in Homoeopathy
- Ichthyosis Vulgaris & Its Homoeopathic Management
- What Have You To Offer Homoeopathy ?
- Individualized Homeopathic Management of Chronic Migraine with Emphasis on the Second Prescription Strategy
- A Classical Homeopathic Approach To A Pediatric Case of Common Cold Triggered By Weather Change- A Case Report
- Application & Benefits of Correlation of Anatomy With Homeopathy - A Clinical Perspective
- Homoeopathy in Surgical Cases - A Powerful Alternative in Renal Stones
- The Supportive Role of Homoeopathy in Cancer Patients Undergoing Chemotherapy
- Ferrum Phosphoricum in Anemia- A Homeopathic Perspective
- A Mind Body Approach To APD: Using Homeopathic Mental Rubrics to Manage Stress Induced Symptoms

Your idea, our platform- A shared step towards success! At Pro Life Era, we help you build your business's credibility by highlighting your articles and advertisements. Contact us today to showcase your expertise and get better marketing.

Editor : Sana Ayaz

Contact Us : prolifeera@gmail.com | www.prolifeera.com | 8103065007

PRO LIFE ERA
HOMEOPATHY JOURNAL
e-ISSN XXXX-XXXX Volume - 1 Issue - 4 Bhopal Publish Date 1st June 2026

Exploring The Role of External Applications in Homoeopathy



Dr. Raj Dineshbhai Bhalu

Abstract-In homoeopathy, external application typically refer to remedies that are applied topically to treat localized conditions or symptoms.

Homoeopathy, one of the most commonly used alternative medicines globally, has a wide range of roles in the management of various diseases. Use of external applications has always been a topic of controversial since the time of Hahnemann. If we all decide to stick to our basics, we could all be on the same page without being controversial. Adhering to fundamental homoeopathic principles can reduce controversy. Hence, one must follow the traditions and always try to innovate and give new ideologies to the fraternity, keeping basics in mind.

We all young and emerging homeopaths should take responsibility for the same controversial topic.

Keywords-local application, external application, homeopathy, Hahnemann, Organon of medicine, principle, aphorisum.

Introduction-From the time immemorial, local applications have been used by physicians for a very long time from Aesculapius down to the present day, on the belief that if the external manifestations are removed, the disease is cured.

But, Dr. Hahnemann after discovery of homoeopathy proclaimed that, that the external application is nothing but the outward reflection of the internal derangement of the spiritual, dynamic vital force which, when disturbed, expresses itself on the surface as signs.

External applications are not in the strict principle of homeopathy. Treatment of diseases by internal medication is the specialty of homeopathy. Disease manifests by signs and symptoms, which are the sole guide of our homeopathic method of treatment.

No disease is external or local. The immaterial spirit-like, dynamic, automatic, vital force throws out the internal disease on the external surface of the body. The nature of external symptoms indicate the nature of internal sickness in the body. By removal of the external affections by external application the disease is never cured in any situation.

On the other hand, they may attack some vital organs of our body, and as a result, we lose the clear image of the diseases. But for accidental cases, injuries, lacerations, burns etc. we need some local cleansing and dressing of the part of treatment.

Henneman gave some arguments against the external application in his Organon of medicine (5th Edition) in aphorism 196 to 203. But later on he saw the necessity of external application, while advocating the administration of medicine per mouth.

So, he clearly explained, in the 6th edition of Organon of Medicine in aphorism 284 and 285, about the use of external application. He said that curative remedy should be continued internally while the same remedy is used externally as ointment, liniment, glycerol, lotion etc.

Once common forms of external applications in homeopathy include:

•**Homeopathic Ointments or Creams:** These are topical preparations that contain homeopathic remedies diluted in a base, such as a cream or ointment. They can be used for conditions like skin irritations, cuts, burns, or bruises. For example:

Calendula ointment (from the Calendula flower) is used for skin healing, burns, and wounds.

Arnica cream is commonly applied to bruises, sprains, or muscle soreness.

•**Homeopathic Compresses:** A compress is a cloth soaked in a diluted homeopathic solution and applied to the affected area. For example:

Chamomilla may be used in a compress for soothing inflammation and pain.

Hypericum is sometimes used for nerve pain or injury.

Local Maladies-

Definition-Local maladies or local diseases are one sided diseases where changes and ailments appear on the external parts of the body. (Aphorism 185).

Local maladies are not purely local in nature but the rest of the body also participates in the development of the disease process. All parts of the organism are independent; no symptoms will develop exclusively independent. Some disturbance in one part may generate changes in the other parts of the body also. In each and every disease the entire organism reacts as a whole. So the local diseases are not truly local.

Types of Local Maladies-

They are divided into two type:

•Local maladies because of internal cause

•Local maladies because of external cause

•**Local maladies because of internal cause (§ 187 & 188)-**This is the second group of local maladies where the physician cannot notice any type of external cause like injury or accident. Here, the cause is purely internal and dynamic. Example: eruptions on the lip and whitlow, etc (§ 189).

Such local diseases where external cause could not be traced out, must be treated with internal remedies to achieve a judicious, sure, efficient and radical cure (§ 190).

•A suitable homeopathic medicine in such cases, will not only cure the local maladies but also improve the general health of the patient (§191).

•For the selection of such remedy, enquiry of exact character of the local affection and through investigation of patient's disposition must be enquired, like in any other dynamic chronic disease (§ 192).

•Based on the totality of symptoms when the selected dynamic medicine is administered, it will radically cure the local malady as well as improve the general condition of the patient (§ 193).

•In local maladies of the second variety, it is not at all advisable to use any kind of external applications. Even the internally administered similimum remedy cannot be applied externally. Only the internal use of dynamic homeopathic remedy alone is sufficient to bring about the cure. If such cure is not brought out, then psora has to be considered as the cause (§ 194).

•In local maladies of psoric origin, the anti-psoric treatment is the only solution (§ 195). Administration of such anti-psoric medicines have to be done in succession i.e. each medicine has to be administered after one has completed its action.

•The external applications are not allowed not only in psoric cases but also in syphilitic as well as sycotic types. This is because if local application is given the chief presenting complaint will disappear, leaving the internally present miasmatic disease uncured. So judicious and ideal cure is not possible (§ 196-198).

•**Local maladies because of external cause**

There are some local maladies which, in their first context itself appear to be local.

Example: In cases of mild skin injuries, it remains purely local. Owing to the mildness of the symptoms, the vital force can aid it without any medicinal help.

On the contrary, if the local melodies are because of severe types of external injuries, a revolution takes place in the entire organism. the whole organism reacts and there appears a protective general response like fever, malaise etc. If the injury of the external cause is of a severe type, even surgical aid may be needed.

In such cases, also along with the mechanical and surgical aid, proper homeopathic dynamic medicines have to be given to assist the vital force in recovery. It is a common example that a patient with severe contusions, lacerated muscles will develop fever. This type of fever has to be smoothened by the use of dynamic homeopathic remedies. In case of scalds and burns along with the local cleanliness and hygiene, internal dynamic medicines can be administered to prevent shock (§ 186).

External Application in Local Maladies (§ 199-203)

•The allopathic physicians consider local maladies as purely local problems. They try to destroy the local symptoms by means of corrosive or desiccative external applications. Such procedures remove the local symptoms but make the infection worse. This is because with the removal of external symptom alone, the chief complaint has been removed. When the external complaint is removed, identification of the internal suffering becomes very difficult (§ 199).

•In cases where the external complaints are removed by the ointments, it becomes difficult to decide whether the cure has taken place or not, as the external visible complaint has been robbed of by the external applications (§ 200).

•The vital force produces local symptoms in order to sooth the internally well developed miasmatic disease (psora, psycosis, psyphilis). As long as the local symptoms are present on the skin the inner parts of the body are safer but the vital force is not capable of curing itself from the miasmatic disease without the help of the homeopathic remedies. As a result, the disease progresses internally (§ 201).

•The old school physicians (of Hahnemannian days), by their cruel methods like issues and setons tried to keep on draining the material discharges from the external ailments. They do this in the name of following nature. They always believed in the materiapeccans. But such practice will never cure the disease. On the contrary, prolonged use of violent procedures like issues and setons will make the patient weaker and weaker (§ 201-202).

•When the old school physician tries to destroy the local symptom by violentprocedures, nature tries to increase the internal disease. Procedures like applying ointments on the psoric eruption, burning off the chancres by caustics, destroying the condylomata with the knife, ligatures and cautery will invariably increase the internal miasmatic diseases. These procedures can be termed as the main sources of innumerable number of named and unnamed chronic diseases of today (§ 203).

In 6th edition of Organon of Medicine, aphorisms 284-285 Hahnemann clarifies about the various routes of administration of the homeopathic similimum. Hahnemann allows the local application/ administration of medicine, but under the following conditions:

•To further the process of cure, this is slow with oral doses.

•The same medicine has to be applied externally, which has shown curative action internally.

•Medicine has to be rubbed in the back, arms and extremities.

•Avoid parts subject to pain, spasm and skin eruption.

•Disease has to be very old.

Discussion and Conclusion-External application when caused externally, external application of medicines could be done.

For example:

•***Cantharis*:-** locally, in burns and eczema, 1x and 2x, in water, or as create.

•***Gun powder*-**locally for dressing of septic postoperative wounds.

•***Calendula Officinalis*-**locally. Aqueous calendula for all wounds, the greatest healing agent. For burns, sores, fissures and abrasions, etc., use calendula cerate. Calendula cream or ointment for chapped hands.

•***Arnica*** cream is commonly applied to bruises, sprains, or muscle soreness.

•***Chamomilla*** may be used in a compress for soothing inflammation and pain.

•***Hypericum*** is sometimes used for nerve pain or injury.

References-1. Organon of medicine by Dr Samual Hahnemann 5th & 6th edition combined. Presented by R.E. Dudgeon, William Boericke, B. Jain publisher Pvt. Ltd.

2. Sarkar BK, Organon of medicine. Delhi: Birla Publications Pvt.Ltd;2005-2006

3. Babu Nagendra Comprehensive Study Of Organon 1stEdition:2009, 1stImpression:2009

4. Dr. Sumit Goel, Art &Science of Homoeo pathic Pharmacy, (2007) IPPB, New Delhi

5. Mandal, B. (n.d.). A treatise on organon of medicine with homoeopathic philosophy part II. New Central Book Agency.

6. Pocket Manual of Homoeopathic Materia Medica and Repertory

7. Kent JT. Lectures on Homoeopathic Materia Medica. Philadelphia: Boericke & Tafel; 19

8.Boericke W. Pocket Manual of Homeopathic Materia Medica & Repertory. 9th ed. Santa Rosa (CA): Boericke & Runyan; 1927

Dr. Raj Dineshbhai Bhalu,
PG Scholar
Department of Materia Medica
L R Shah Homoeopathy College
Managed By T.V. Mehta Charitable Foundation,Gardi Vidhyapith
Anandpar
Gujarat-361162

e-ISSN XXXX-XXXX Volume - 1 Issue - 4 Bhopal Publish Date 1st June 2026

PRO LIFE ERA
HOMEOPATHY JOURNAL

Ichthyosis Vulgaris & Its Homoeopathic Management

Abstract-Background Information- Filaggrin (FLG) gene mutations cause Ichthyosis Vulgaris, a genetic skin condition that causes thicker, scaly, and dry skin. Homoeopathy provides a comprehensive approach, while conventional therapy concentrates on hydration and keratolytics.The goal is to investigate the pathogenesis, clinical manifestation, and homoeopathic treatment of Ichthyosis vulgaris.

Methods-A study of the literature on homoeopathic remedies, symptoms, and genetic reasons.

Results-By targeting the underlying cause as well as individual vulnerability, homoeopathic medicines including ***Arsenicum iodatum, Hydrocotyle asiatica, Petroleum, and Kali sulphuricum*** can reduce symptoms. Changes in lifestyle also help with management.

Conclusion-Although further study is required, homoeopathy offers an efficient supplementary method for managing Ichthyosis vulgaris.

Keywords-*Homoeopathy, Skin Conditions, Holistic Treatment, Ichthyosis vulgaris, and Filaggrin mutation.*

Introduction-Ichthyosis Vulgaris, also known as 'Fish Scale Disease', is a skin disorder that causes the skin to become thick, scaly, and dry. A crucial protein for the function of the epidermal barrier is 'Filaggrin'. Ichthyosis has been linked to mutations in the gene that codes for filaggrin (FLG) [2]. Most instances of ichthyosis vulgaris start in childhood and are inherited [1].The majority of people have a hereditary type of ichthyosis, which is caused by a gene mutation that is frequently passed on from parents. On the other hand, some persons get acquired (nongenetic) ichthyosis as a result of taking certain drugs or having another medical condition. Although there isn't a cure for ichthyosis at this time in conventional medicine, research is being done and there are therapies to help control the symptoms.[3]

The holistic management of ichthyosis vulgaris is provided by homoeopathy, which emphasises natural therapies and customised care. There are a number of homoeopathic medicines that reduce symptoms and improve skin health. Some of the effective medicines based on symptoms of Ichthyosis are***Arsenic iodatum, Sepia succus, Hydrocotyle asiatica, Petroleum, and Kali sulphuricum.***

Epidemiology-As the most prevalent form of ichthyosis, ichthyosis vulgaris affects around 1 in 100 to 1 in 250 people and accounts for more than 95% of cases. It usually manifests during infancy or early childhood and becomes better as people age. Eight to ten percent of the general population has the FLG gene mutation, which is a major cause of ichthyosis vulgaris. The types of mutations differ depending on ancestry. While '***3321delA'*** is widespread in Asians and nonexistent in Europeans, '***R501X'*** and '***2282del4'*** are common in Europeans. Certain mutations are present in both groups, such as '***E2422X.'***[4]

Etiology & Athophysiology-Heterozygous loss-of-function mutations in the FLG gene cause ichthyosis vulgaris by disrupting the epidermal barrier and resulting in a filaggrin deficit. Profilaggrin, encoded by FLG on chromosome ***'1q21'***, is converted to filaggrin during epidermal development. Filaggrin is essential for the integrity of the skin's barrier, hydration retention, and defence against infections and allergies.

Atopic dermatitis (AD), hand eczema, contact dermatitis, and infections (such as Staphylococcus aureus and herpes virus) are all made more likely by FLG mutations, which also increase skin permeability and cause greater water loss and pH changes. Individuals with FLG mutations in AD have more severe symptoms and are more sensitive to allergies.

Ichthyosis vulgaris has varied expressivity and 83%–96% penetrance, with an autosomal semidominant inheritance pattern. Different cultures have different FLG mutations; Europeans tend to have*'R501X'* and *'2282del4'*, Asians have *'3321delA'*, and *'E2422X'* was present in both. Defects in the epidermal barrier and decreased production of filaggrin are caused by more than 60 loss-of-function mutations, including frameshift and nonsense variants.[4]

Clinical Presentation-The word "ichthyosis" comes from the Greek word "ichthys," which means fish, because the disease is characterised by thickened, dry, and scaly skin that resembles fish *(hyperkeratosis)*. Ichthyosis vulgaris is most commonly characterised by xerosis (dry skin), partial or complete skin lesions, palmoplantar hyperlinearity, keratosis pilaris, generalised scaly dermatosis without erythema, and different degrees of erythroderma. However, despite having dry skin, people with ichthyosis vulgaris do not show obvious symptoms of irritation.

The majority of instances of Ichthyosis vulgaris completely present by early childhood, with symptoms first appearing in infancy. Hyperkeratotic plaques with fissures on the palms and soles, ranging in severity from moderate xerosis (dry skin) to severe scaling (lizard skin), might jeopardise neurovascular integrity if left untreated.

Mild instances might not be identified. Due to a total lack of filaggrin, severe instances (homozygous mutations) exhibit massive adherent scales on the trunk and lower limbs along with chronic, persistent symptoms.

Incomplete penetrance and milder, varied symptoms are seen in heterozygous carriers. In colder areas, symptoms get worse; in warmer climates, they get better. Higher trans-epidermal water loss (TEWL) and more significant epidermal gene expression alterations are observed in homozygous individuals[4].

Differential Diagnosis-•Contact dermatitis
•Eczema, •Drug allergies, •Psoriasis
•Photo Dermatitis

Treatment-Hydrating the skin and using an ointment to stop evaporation are the primary treatment methods for Ichthyosis. An efficient treatment alternative is a urea-based emulsion, which is made up of 10% urea, natural moisturizing agents, and ceramides and is used twice a day.For certain people, topical retinoids and alpha-hydroxy acids may be beneficial. Topical retinoids work by inhibiting keratin production, increasing mitosis and turnover, and decreasing the cohesion of epithelial cells. For pruritus, mild topical steroids could be helpful. AI may improve if the underlying systemic illness is treated.[5]

Homoeopathic Management-The foundation of homoeopathic treatment is constitutional prescription, which takes into account each patient's unique susceptibility and the whole of their symptoms. In ichthyosis situations, a number of treatments have been proven to be effective:

•***Arsenicum iodatum-***For ichthyosis, *Arsenic iodatum* is one of the best treatments. A rough surface is left behind when the skin's big scales are markedly exfoliated. Itching is severe and the skin is flaky.

•***Hydrocotyle asiatica-***An other effective treatment for ichthyosis is *Hydrocotyle asiatica*.Both the epidermal layer and the skin's scales are greatly thickened and exfoliated. Scaly edges and round patches on the skin.As an additional prescribing sign, unbearable itching, particularly on the soles.

•***Petroleum-***When the skin is thick, dry, and harsh, and there are fissures, petroleum is recommended. The skin is quite sensitive.

•***Sepia-***Sepia does wonders for ichthyosis. For ichthyosis with a foul odour of skin , intense itching that doesn't go away when after scratching. worse in knee and elbow bends.

•***Kali sulph-***It is the best homoeopathic treatment for ichthyosis, which is characterised by dry, flaky skin with noticeable yellow scales.

•***Platanus occidentalis-***For X-linked ichthyosis with ocular opacity and cataract, *Platanus occidentalis* is recommended.

•***Natrum carb-***Lamellar ichthyosis with photophobia is treated with *Natrum carb.*

•***Clematis erecta-***When red, brown, scaly, or scabby skin appears, *Clematis erecta* is advised. The itching is severe, and washing in cold water makes it worse.

•***Zincum metallicum-***When treating ichthyosis with corneal dystrophy, *zincum metallicum* works well[6]

General Management-•Refrain the patient from taking hot showers or baths as this can further dry the skin.
•Advise the use of cool or lukewarm water for the bath.
•Stop the application of soap, which can make the skin even more dry.
•Advise the use of Cetaphil lotion and over the counter cream formula.
•Applying lotion containing alpha-hydroxyl acid after gently wiping the skin might increase its moisture content.[7]

Conclusion-Filaggrin (FLG) gene mutations are the main cause of Ichthyosis vulgaris, a chronic skin condition that causes dryness, scaling, and compromised skin barrier function. Homoeopathy provides a comprehensive and customised approach by treating the underlying tendency as well as symptom alleviation, whereas traditional therapies concentrate on hydration and keratolytics. Hydrocotyle asiatica, Petroleum, Kali sulphuricum, Sepia, and Arsenicum iodatum are among the remedies that have demonstrated effectiveness in enhancing skin health and reducing pain. Changes in lifestyle, such as adopting healthy skincare practices, also improve management.

Homoeopathy is a useful supplemental treatment for Ichthyosis vulgaris since it not only relieves symptoms but also supports the body's natural healing processes. To fully determine the potential of homoeopathic therapies in treating this illness, more clinical study is required.

References-1. Huizen J. What is ichthyosis vulgaris? 2023. https://www.medicalnewstoday.com/articles/318242.
2. Akiyama M. FLGmutations in ichthyosis vulgaris and atopic eczema: spectrum of mutations and population genetics. British Journalof Dermatology 2009;162:472–7. https://doi.org/10.1111/j.1365-2133.2009.09582.x.
3. Branch NSC and O. Ichthyosis. National Institute of Arthritis and Musculoskeletal and Skin Diseases 2025. https://www.niams.nih.gov/health-topics/ichthyosis.
4. Jaffar H, Shakir Z, Kumar G, Ali IF. Ichthyosis vulgaris: An updated review. Skin Health and Disease 2022;3. https://doi.org/10.1002/ski2.187.
5. Majmundar VD, Baxi K. Hereditary and Acquired Ichthyosis Vulgaris. *[Updated 2023 Aug 8]*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2023. Available from: https://www.ncbi.nlm.nih.gov/books/NBK430685/
6. Boericke W.*Pocket Manual of Homeopathic Materia Medica*. Philadelphia: Boericke & Tafel; 1927.

Dr Ananya Singh, PGR
Department of Practice of Medicine
Dr MPK Homeopathic Medical College, Hospital & Research Centre

PRO LIFE ERA
HOMEOPATHY JOURNAL
e-ISSN XXXX-XXXX Volume - 1 Issue - 4 Bhopal Publish Date 1st June 2026

What Have You To Offer Homoeopathy ?



Abstract-Introduction-Psoriasis is a chronic, immune-mediated, inflammatory skin disorder characterized by the rapid turnover of skin cells, leading to thick, scaly patches that can appear anywhere on the body. It affects around 2-3% of the global population, with varying severity and patterns of presentation. Psoriasis can significantly impair the quality of life, causing physical discomfort, emotional distress, and social stigmatization. While the precise etiology remains unclear, it is understood to involve a complex interplay of genetic, immune, and environmental factors. Homoeopathy offers the best of it in longstanding chronic case of psoriasis.

Etiology and pathogenesis-The pathogenesis of psoriasis is multifactorial, involving genetic susceptibility, immune dysregulation, and environmental triggers. Genetic studies have identified several susceptibility loci, most notably on chromosomes 6p21 (HLA-Cw6), which is linked to the onset and severity of the disease. The immune system plays a central role in psoriasis development, particularly through the activation of T-cells, which produce cytokines such as TNF-α, IL-17, and IL-23. These cytokines promote the inflammation and hyperproliferation of keratinocytes, the primary cells of the skin, leading to the characteristic psoriatic plaques.

Genetic Factors-Research has highlighted a strong genetic predisposition, with over 50 loci associated with psoriasis susceptibility. HLA-Cw6 remains the most consistently linked gene in the development of the condition.

Immune System Involvement-Psoriasis is primarily driven by T-helper (Th) cells, particularly Th1 and Th17 subsets. These cells produce pro-inflammatory cytokines, such as IL-17A, IL-23, and TNF-α, which contribute to epidermal hyperplasia and inflammation.

Environmental Triggers-In addition to genetic predisposition, various environmental factors such as infections (e.g., streptococcal throat infections), stress, certain medications (e.g., beta-blockers, NSAIDs), and lifestyle choices (e.g., smoking, alcohol consumption) have been identified as triggers or exacerbating factors.

Clinical Manifestations-Psoriasis manifests in different forms, each with distinct features:

•**Plaque Psoriasis:** The most common form, characterized by raised, red plaques covered with silvery-white scales. It typically affects the scalp, elbows, knees, and lower back.

•**Guttate Psoriasis:** Often triggered by bacterial infections, particularly streptococcal throat infections. It presents as small, drop-like lesions primarily on the trunk and limbs.

•**Inverse Psoriasis:** Occurs in skin folds, such as the armpits, groin, and under the breasts, and typically appears as smooth, red patches.

•**Pustular Psoriasis:** Characterized by white pustules surrounded by red skin, often affecting the palms and soles.

•**Erythrodermic Psoriasis:** A rare, severe form characterized by widespread redness, scaling, and skin shedding, which can be life-threatening.

Testing-There is no specific or diagnostic blood test for psoriasis. Laboratory studies and findings for patients with psoriasis may include the following:

•**Rheumatoid factor level:** Negative

•**Erythrocyte sedimentation rate-**Usually normal, except in pustular and erythrodermic psoriasis, where it may be elevated along with the white blood cell count.

•**Uric acid level:** May be elevated in psoriasis (especially in pustular psoriasis)

•**Examination of fluid from pustules:** Sterile bacterial culture with neutrophilic infiltrate.

•**Fungal Studies:**Especially important in cases of hand and foot psoriasis that seem to be worsening with the use of topical steroids or to determine if psoriatic nails are also infected with fungus.

•**Conjunctival impression cytology:** Increased incidence of squamous metaplasia, neutrophil clumping, and snakelike chromatin.

The differentiation of psoriatic arthritis from rheumatoid arthritis and gout can be facilitated by the absence of the typical laboratory findings of those conditions.

Consider obtaining the following baseline laboratory studies in patients being initiated on systemic therapies (e.g., immunologic inhibitors): •Complete blood cell (CBC) count •Blood urea nitrogen (BUN) and creatinine levels, •Liver function tests, •Hepatitis panel •Tuberculosis (TB) screening, •Human immunodeficiency virus (HIV) testing, •Pregnancy test, •Other studies, •Radiographs of affected joints: Can be helpful in differentiating types of arthritis, •Joint radiographs: Can facilitate the diagnosis of psoriatic arthritis, •Bone scans: Can identify joint involvement early, •Dermatologic biopsy: Can be used to make the diagnosis when some cases of psoriasis are difficult to recognize (eg, pustular forms)

Diagnosis-The diagnosis of psoriasis is primarily clinical, based on the characteristic appearance of the skin lesions. In some cases, a skin biopsy may be performed to confirm the diagnosis, particularly in atypical cases or when other conditions (e.g., eczema, seborrheic dermatitis) are suspected.

Case History and Complaints-•Name-Abc •Age-56 Years/ Male, •Religion-Hindu, •Occupation-Business (Book-Store), •Children-2 Sons, •Address-Ambika Gotri, Vadodara, •Status-Married,

Chief Complaint-•Location, •Sensation, •Modality, •Concomittant

•Skin (Psoriasis) Since 46 Years

•Soles(bil) palms(bil), •Over dorsum of Ankles3 Elbow, •Scalp, •Since 30 yrs, •Hair

•Skin

•All over body since 9-11yrs, •Hypogastric left •Umbilicus, •Rt. neck, •Since 9-10 yrs, •GIT •Epigastrium, •Oesophagus, •Since 12-13 yrs •Cracks2, bleeding Thickening 3 Itching 3 Dryness 3, •Pain 2, •Cracks 2, •Scaling 2, •Dry peeling 2, •Pleasurable, •Itching 3, •Burning 2 •Occ.non- Sticky, watery discharge, •Dandruff 2, •Itching, •Early3 graying, •Falling2, •Cherry-red, •Small moles +, •Warts+,

•Acidity 3, •Burning 3, •Regurgitation 2, •< Winter 3, •< Monsoon, •> Summer 2, •> Vaseline 2, • <Winter 3, •< Monsoon 3, < Spirit 2, •>Summer 2, •<After scratching, •<Hot water, •< Hair dry 3, < winter 3, •< Night 2, •<After eating 3, •<Spicy 3, <Fermented 3, •<Oily 3, •<Pungent 3, •<Sour 2, •>Cold water 3, •> Ice-cream 2.

Personal History-•Appetite, Thirst, •Urine, •Bowels, •Sleep-Normal, •Desire-Farsan3, •Mangoes3, •Ice-Cream3, •Lemon Soda3, •Panipuri3, •Salty3 Kharising3, •Thermal State-CH3, •Perspiration- Scanty, •Sex life- NAD, •Desire Sex3

Family History-•**Father-**DM since 15 yrs, HT since 20yrs, Eczema legs, Cracks of Palms, Warts now better, cherry red moles3, Constipation3, Acidity2, Allergic cold2, Piles operated, Lt.Vent Tachycardia 10yrs back, Bil cataract operated, Rt eye retina flickering 5 yrs back.

•**Mother-**Backache, Jt pain, Hysterectomy (fibroid)

•**Grandfather-**Asthma, Eczema legs, died at 67 yrs

•**Grandmother-** Asthma, Eczema, died at 87 yrs after hip jt surgery.

Past History-•Malaria 4-5 times (mainly in 8th, 10th,college), Measles in 4th STD Jaundice once in early childhood, Typhoid (college), Ring worm (college) •Allergic skin eruption 5-6 time < sun, allopathic medicines.

•Dysentery, •Food poisoning in college, Urticaria-big wheals 5 yrs back, •O/E: P/A- Soft, Chest-clear, TPR-N, BP-124/86mm of Hg

Diagnosis-Simple Plaque Psoriasis, With Apd

Life Space-A man of 56 yrs came to me looking older than his age. He belong to well-educated family having father in M.Phil,80yrs, Mother- housewife, matric pass,1ES, 1YSis, Wife-MSC, 2son- 5th,8th std. His father is dominating3, short tempered3, irritable3 in nature, mother is cool, calm, cooperative, pt is the only son of his father. His wife is irritable3, short-tempered3, cooperative3, good understanding with the pt.

Pt has passed his childhood happily, except complaint id cracks from 3rd std. He had good relation with friends and relatives. Pt has fear of father as he is dominant. He used to go in RSS in 10thstd. He was very good in studies, always ranker in school and other activities. Even when he used to write poems. He got centre1th in SSC. In 11th STD he came to Baroda. He was much homesick3, can't concentrate properly in 12th and passed with 2nd trail. Even today he tells that if he has not come to Baroda he would have got more than 80% and desired admission in MBBS!!!

He crossed his college(BSc.) without any problem. During those days he came in contact of a girl. They have good friendly relations. She belonged to his town, but after 1 yr when he proposed her she said 'she is attached with some other boy and is going to marry with him. He was shocked for few days, but after 5-6 months he managed himself. Even today have friendly relations! He got job in private college.

Pt got married after college. He got job as a teacher in school. Pt has good relations with his wife but many times they have difference of opinion, end into quarrels2. She is short temp2; irritable2. Pt has constant anxiety of future3 and grief of not getting good marks in 12th STD and missed his goal. He is dissatisfied with his job as not getting enough money and position as per his ability. He feels and better by listening music3, reading3, philosophical book, singing3. He likes to meet his School-college friends3 and stay in town off and on. He is ambitious3 to make a name, fame, money. He becomes sentimental3 when watching emotional scene in movie or hearing sad song or delivering some sensitive talk in class.

Totality of Symptoms-

•Ailments from- disappointed love3, studies3 •Anxiety- future3, •Homesickness3, •Ambitious3, •Sentimental3

Likes listening to music, reading book, singing-Food And Drinks-Desire Farsan3, Mangoes, Ice-Cream3, Lemonsoda3, Panipuri3, Salt.

Treatment-Date 02-06-2023, NATR.MUR 200, 2PHS Followed by SL TDS; 2 wks

Results and Comments-•Long standing chronic case requres disciplined mind and patience with logical and scientific prescription.

•Initially nat. M. Gave good result but after that itching and lesions relapsed. So psorium was given as antimiasmatic remedy with which patient was improved.

•In this case nosode had been proved as much potential, antimiasmatic remedy.

•Still patient is under observation since 11 months and placebo is continued.

References-•Griffiths, c. e., & armstrong, a. w. (2020).psoriasis. lancet, 396(10247), 831-844.

•C.A., & Tyring, s.k. (2009). psoriasis and other inflammatory skin diseases. the lancet, 370(9607), 1005-1016.

•Homoeopathic philosophy by dr. ml dhawale

•Homoeopathic philosophy by dr. h robot

•Homoeopathic philosophy by dr. jt kent

•Homoeopathic philosophy stuart close

•Repertory by dr. jt kent

Dr. Hiren Darji MD. [Hom.]
Pro. Department of Organon
Sshmc, Godhra
Clinic: Bohidhvam's Vitalcare, Vadodara
E-mail Id: **hirrendarji@gmail.com**
M.:9601259978

PRO LIFE ERA HOMEOPATHY JOURNAL
e-ISSN XXXX-XXXX Volume - 1 Issue - 4 Bhopal Publish Date 1st June 2026

Individualized Homeopathic Management of Chronic Migraine with Emphasis on the Second Prescription Strategy

Abstract-Chronic migraine is a complex neurovascular disorder characterized by recurrent, unilateral, pulsating headaches often accompanied by nausea, photophobia, and phonophobia. While conventional medicine focuses primarily on symptomatic relief, homeopathy provides a holistic and individualized therapeutic model. This case report illustrates the successful treatment of a 35-year-old woman suffering from chronic migraines using the constitutional remedy *Natrum Muriaticum*, followed by a strategic second prescription as guided by Dr. Kent's philosophy. The case exemplifies how a well-selected second prescription can consolidate healing, prevent relapse, and support long-term well-being in chronic conditions.

Keywords-Chronic Migraine, Homeopathy, Natrum Muriaticum, Second Prescription, Dr. Kent, Individualized Therapy, Emotional Triggers, Constitutional Remedy

Introduction-Migraine affects over 1 billion people globally, significantly impairing daily functioning and quality of life. Common migraine variants include:

•**Migraine with aura**: Visual or sensory warnings before the headache.

•**Migraine without aura**: Sudden onset without prodromal signs.

•**Chronic Migraine**: Headaches occurring ≥15 days/month for at least 3 months.

Clinical Features-

•Unilateral, throbbing headaches

•Triggered by emotional stress, sunlight, hormonal changes, or hunger

•Associated symptoms: Nausea, vomiting, dizziness, photophobia

Homeopathic Perspective-Homeopathy considers migraine not only as a physical manifestation but as a deeper constitutional disorder. Important treatment parameters include:

•**Psychological factors** (grief, emotional suppression)

•**Miasmatic tendencies** (Psora, Sycosis, Syphilis)

•**Modality-driven prescribing**

•**Dr. Kent's Second Prescription**: Repetition or change of remedy based on patient response

Case Profile-Patient Details-

•**Name**: Mrs. Y (Name withheld)

•**Age**: 35 years, •**Sex**: Female

•**Occupation**: Corporate Employee

Chief Complaints-

•Right-sided throbbing headache for 5 years, occurring 3–4 times weekly

•Worse from sunlight, emotional upheaval, skipping meals

•Associated symptoms: nausea, dizziness, visual aura

•Relief in a dark, quiet room; sleep disturbed due to pain

History & Clinical Findings-

•No head trauma or chronic diseases

•Onset linked to emotional trauma from a stressful divorce

•Dependency on analgesics with limited relief

•Sleep disturbed due to pain

•Pulse: 74 bpm; BP: 120/80 mmHg

•Neurological, ophthalmic, and general examinations: Normal

Mental & Emotional Characteristics-

•Reserved, introverted

•Profound grief from past events, unexpressed

•Avoids emotional confrontation and dislikes consolation

Craving for solitude and silence

Repertorial Rubrics & Remedy Selection

Rubrics from Kent's Repertory:

•Head–Pain, throbbing, right-sided → *Natrum Mur, Belladonna, Sanguinaria*

•Head–Pain, from grief or emotional trauma → *Natrum Mur, Ignatia*

•Head–Pain, <sunlight→ *Natrum Mur, Glonoinum*

•Mind – Consolation, agg. → *Natrum Mur*

•Head-Pain, >dark, quiet room→ *Iris Versicolor, Gelsemium*

•Stomach–Nausea with headache → *Sepia, Iris Versicolor*

Symptom Analysis-

Location	Sensation	Modality	Concomitant
Head (Right side)	Throbbing pain	Worse from sunlight, better in dark	Nausea, dizziness
Mind	Emotional suppression	Worse from stress	Introversion, tearfulness
Stomach	Heaviness, nausea with headache		No appetite during headache

Follow-Up & Second Prescription: In Line with Dr. Kent's Philosophy

Follow-Up Date	Clinical Response	Management
After 1 month	Frequency reduced to 2 attacks/week; nausea better	Continued *Natrum Mur* 200C weekly
After 2 month	Headache milder, lasting <1 hour; sleep improved	Continued *Natrum Mur*1M
After 3 month	Attacks only once/week; emotional state stable	**Stopped repetition**; observed (Kentian pause), SAC LAC 200 TDS
After 5 month	Migraine frequency stabilized but return of mild dizziness and visual aura	**Second Prescription: *Iris Versicolor* 200C**, once a week
After 6 month	Patient headache-free for 4 consecutive weeks; emotional well-being balanced	No further remedies given; case in observation phase

Miasmatic Background-Dominantly **Psoric**, with traces of **Sycotic** taint due to suppression of emotional trauma and recurrent episodes.

Prescription Plan

Initial Constitutional Remedy

•**Natrum Muriaticum 200C**, single dose, once weekly

Second Prescription Rationale (As per Dr. Kent)-According to Kent, the **second prescription** is not simply a repetition or change of remedy, but a strategic decision based on the *direction of cure*. In this case:

•When *Natrum Muriaticum* had exhausted its curative action (no further improvement in the chronic picture), and new acute symptoms emerged, *Iris Versicolor* was indicated based on acute modality and presentation.

•Avoiding premature repetition of *Natrum Mur* avoided antidoting and allowed the case to progress naturally toward cure.

Discussion-This case demonstrates:

•Importance of constitutional prescribing using detailed mental and physical totality.

•Holistic evaluation of suppressed emotional trauma.

•Miasmatic assessment (psora as the dominant miasm).

•Timely intervention with a second prescription (*Iris Versicolor*) to sustain progress.

Conclusion-A well-managed homeopathic approach using **Natrum Muriaticum** followed by a well-indicated **second prescription** per Dr. Kent's guidelines provided:

•Sustainable relief from chronic migraines

•Improved emotional equilibrium

•Freedom from dependency on conventional painkillers

This case reinforces the power of classical homeopathy in treating chronic disorders and emphasizes the art of *waiting*, *observing*, and *prescribing only when necessary*.

References-1.Kent, J.T. *Lectures on Homeopathic Philosophy*. B. Jain Publishers.

2. Boericke, W. *Pocket Manual of Homoeopathic Materia Medica & Repertory*.

3. Murphy, R. *Homeopathic Medical Repertory*, 3rd Edition.

4. Allen, H.C. *Keynotes and Characteristics with Comparisons*.

Dr. Savale Anjali
Dept of Organon of Medicine and Homeopathic Philosophy
Associate Professor& HOD
Gandhi Natha Rangji Homoeopathic Medical College, Solapur

PRO LIFE ERA HOMEOPATHY JOURNAL
e-ISSN XXXX-XXXX ■ Volume - 1 ■ Issue - 4 ■ Bhopal ■ Publish Date 1st June 2026

A Classical Homeopathic Approach To A Pediatric Case of Common Cold Triggered By Weather Change- A Case Report

Preliminary Data-•**Date**: 17/05/2025
•**Sex / Age**: Female / 7 years
•**Religion**: Hindu
•**Occupation**: Student (2nd Grade)
•**Marital Status**: Unmarried
Chief Complaint-Severe cough with throat pain, sneezing, and acrid nasal discharge since 2 days.
Location | Sensation | Modality | Concomitant
1] Upper Respiratory Tract
•Dry Cough (+++), •Throat Pain (+++)
•Sneezing (+)
•Acrid, excoriating nasal discharge (+++)
•< Sneezing aggravated in sunlight
•< After exposure to wet/rainy weather
•Onset: Sudden, •Duration: 2 days
•Progression: Increasing
2] Body-•Fever with chills (++)
•Temperature: 101.2°F
•< While lying in bed, •Onset: Sudden
•Duration: 2 days
•Progression: Progressive
3] Mind-
•Anxious and irritable since onset (++)
•Onset: Sudden, •Duration: 2 days
•Progression: Progressive
History of Present Illness-The child was healthy until two days ago when she suddenly developed a dry cough, throat pain, and sneezing, followed by acrid nasal discharge. She also experienced chills and fever (101.2°F). Complaints began soon after a shift to rainy weather conditions.
Associated Complaints-None.
Past History-No significant illness in the past.

Symptom Analysis-

Category	Symptom
Mental General	Anxious since complaints (++)
Physical Generals	Hot patient; fever with chills (++); Temp: 101.2°F
Physical Particular	Dry cough (+++); throat pain (+++); acrid nasal discharge (+++); sneezing (+); Naso-pharynx congestion (+++)
Modalities	Sneezing < sunlight; Fever < lying in bed; Ailments after wet weather

Family History-All family members are apparently healthy.
Physical Generals-•**Appearance**: Healthy face, fair skin, black healthy hair, normal eyes, and healthy teeth/nails.
•**Taste**: Normal, •**Diet**: Non-vegetarian
•**Appetite**: Normal, •**Thirst**: Normal
•**Desires/Cravings/Intolerances/Aversion**: Nothing specific
•**Sleep**: Sound and refreshing (8 hours)
•**Dreams**: Not remembered, •**Habits**: None
•**Vaccination**: All required immunizations up to date, •**General Modalities**: None specific
Eliminations-•**Perspiration**:Moderate on exertion, •**Urine**: Satisfactory
•**Stool**: Normal, twice daily
Thermal Reaction-Hot patient.
Life Space Investigation-The patient lives with her parents and elder brother in Kharghar. Her father owns a tailoring business; mother is a homemaker. She is emotionally sensitive and cries easily.
General Examination-•**Height**: 105 cm
•**Weight**: 22 kg, •**Pallor / Icterus / Cyanosis / Oedema**: Absent, •**Nails**: Pink and healthy
•**Temperature**: 101.2°F, •**Pulse**: 90/min
•**Respiratory Rate**: 20/min
Systemic Examination-•**RS**: Clear bilateral airflow, normal percussion, no abnormal sounds, •**CVS**: S1 and S2 normal
•**CNS**: Oriented and conscious
•**GIT**: No abnormal findings
Developmental History-
•Birth: Full-term normal delivery
•Birth Weight: 3.5 kg
•Milestones: Achieved within normal limits
•Breastfeeding: Up to 2 years
•Mental & physical development:Age-appropriate, •Immunization: Up to date
Local Examination-
•Naso-pharyngeal congestion (+++)
•No facial pain or tenderness
Provisional Diagnosis-Common Cold
Differential Diagnosis-•Acute Rhinitis
•Nasopharyngitis, •Allergic Rhinitis
Final Diagnosis-Common Cold
Evaluation of Symptoms-
•Anxious since complaints – Mental General, Characteristic
•Thermals: Hot – Physical General, Common
•Fever with chills–Physical General, Common
•Dry cough-Physical Particular, Characteristic
•Acrid nasal discharge – Physical Particular, Characteristic
•Sneezing < sunlight – Physical Particular, Modality, Characteristic
•Fever < lying on bed – Physical Particular, Characteristic
•Ailments from wet weather-General Modality, Causative
Totality of Symptoms-•Anxious since illness
•Dry cough, •Acrid, excoriating nasal discharge, •Sneezing < sunlight
•Fever < lying on bed,
•Ailments from wet weather
Repertorial Rubrics-•MIND – Anxiety
•NOSE – Discharge – excoriating
•NOSE – Sneezing – in sunshine
•COUGH – Dry, •FEVER – in bed
•GENERALS – Weather – wet – agg.
Miasmatic Analysis-Predominantly Psoric
Prescription (as per classical approach)-
•**Mercurius Solubilis 200**-6 pills BD × 2 days
•**Cosmos** – 4 pills TDS × 3 days
Auxiliary Management-
•Drink only warm water
•Steam inhalation every 6–8 hours
•Salt water gargles thrice daily
•Avoid cold water and exposure to cold air
•Bed rest for 7–14 days
•Use a mask when outside
Follow-ups-Date: 19/05/2025
•Anxiety and throat pain reduced
•Fever worsened on Day 1, better on Day 2
•Sneezing absent, nasal discharge increased
•Mild residual cough
Prescription-•Mercurius Sol 200-BD × 1 day
•Cosmos – 4 pills TDS × 3 days
Date: 21/05/2025, •Anxiety resolved
•Throat pain mild
•Cough and nasal discharge improved
Prescription-Mercurius Sol 200-BD × 1 day

Dr. Sunil Bhosle, Department of Anatomy
Gandhi Natha Rangji Homoeopathic Medical College, Solapur

e-ISSN XXXX-XXXX Volume - 1 Issue - 4 Bhopal Publish Date 1st June 2026

PRO LIFE ERA HOMEOPATHY JOURNAL

Application & Benefits of Correlation of Anatomy With Homeopathy - A Clinical Perspective

Abstract-The integration of anatomical knowledge into homeopathic practice enriches the diagnostic process, sharpens remedy selection, and improves patient outcomes. While homeopathy operates on principles of individualized symptom totality and dynamic vital force, correlating these with anatomical structures provides a concrete foundation for clinical reasoning. This article explores how anatomical correlation enhances the application of homeopathic remedies in both acute and chronic conditions, and contributes to the scientific robustness of classical homeopathy.

Introduction-Homeopathy, founded by Dr. Samuel Hahnemann in the 18th century, emphasizes the individualized treatment of patients using potentized substances based on the Law of Similars [1]. Although traditionally considered a holistic and energetic form of medicine, the significance of anatomical knowledge in homeopathic case-taking, diagnosis, and remedy selection is often underutilized or misunderstood [2].

Anatomy-defined as the scientific study of the structure and organization of living organisms-provides the foundational map of the human body. In clinical practice, understanding the anatomy of organs, tissues, and systems is vital not only for conventional medicine but also for the precision and depth it can bring to homeopathic prescribing [3].

The Application of Anatomy in Homeopathic Practice-

•Accurate Case-Taking and Symptom Localisation-An understanding of human anatomy allows the homeopath to better localize symptoms [4]. For example, distinguishing whether pain is in the epigastric, hypogastric, or lumbar region helps in identifying key remedy indications.

•Improved Repertorization-Anatomical correlation sharpens the rubric selection process [5]. For instance, identifying whether a throat pain originates from the tonsils, pharynx, or larynx allows more specific and meaningful rubric entries in the repertory.

•Differential Remedy Analysis-Many homeopathic remedies have affinities for specific organs or anatomical regions. *Chelidonium majus* prominently affects the liver, *Digitalis purpurea* the heart, and *Kali bichromicum* the sinuses [6]. Knowledge of anatomy helps practitioners understand and differentiate these remedy affinities with greater precision.

•Assessment of Pathological Lesions-While homeopathy focuses on the vital force and not pathology alone, understanding the anatomical basis of lesions—such as nodules, hypertrophy, inflammation, or degeneration-can guide the practitioner in the miasmatic evaluation and remedy choice [7].

•Supporting Physical Examination-Basic anatomical knowledge enhances physical examination skills [8]. Percussion, palpation, auscultation, and inspection are guided by anatomical landmarks.

•Utility in Acute Conditions-In emergency or acute care settings, anatomical knowledge aids in triage, symptom assessment, and fast remedy administration [9]. Whether it's managing trauma, organ-specific inflam-mation (e.g., appendicitis), or neuralgias, recognizing the anatomical seat of disease is essential for timely intervention.

Benefits of Correlating Anatomy with Homeopathy-

•Increased Clinical Accuracy-Anatomical correlation reduces diagnostic ambiguity and supports deeper clinical insight, especially in complex or multi-systemic cases [10].

•Enhanced Scientific Integration-By bridging the gap between conventional anatomical sciences and the holistic paradigm of homeopathy, practitioners can communicate more effectively with allopathic professionals and participate in integrative medicine frameworks [11].

•Improved Patient Confidence-When homeopaths explain disease processes and remedies with anatomical clarity, patients often feel more assured about the scientific basis of their treatment [12].

•Support for Education and Research-Teaching homeopathy with an integrated anatomical approach enhances student understanding, clinical reasoning, and research quality [13].

•Support in Miasmatic Interpretation-Structural and pathological findings related to specific anatomical areas often give clues to underlying miasmatic influences-e.g., destructive pathology in syphilitic miasm or functional disturbances in psoric presentations [14].

Case Illustration-A 38-year-old female presented with radiating right hypochondriac pain, nausea, and constipation. Anatomical localization suggested liver and gallbladder involvement. While allopathic diagnosis confirmed gallstones, the homeopathic approach correlated the liver region affinity of *Chelidonium majus*, with key modalities such as pain radiating to the right scapula, < motion, and > hot drinks. This alignment of symptoms with anatomical understanding improved remedy precision and outcome [6,15].

Conclusion-Homeopathy and anatomy are not mutually exclusive but mutually reinforcing disciplines. Integrating anatomical understanding into homeopathic practice ensures better localization, clearer symptom differentiation, and more reliable remedy selection. This fusion not only enhances the clinical efficacy of homeopathy but also strengthens its academic, educational, and scientific foundation [16].

References (Vancouver Style)-

1. Hahnemann S. *Organon of Medicine*. 6th ed. New Delhi: B. Jain Publishers; 2005.
2. Banerjea SK. *Miasmatic Prescribing*. New Delhi: B. Jain Publishers; 2010.
3. Moore KL, Dalley AF, Agur AMR. *Clinically Oriented Anatomy*. 7th ed. Philadelphia: Wolters Kluwer; 2014.
4. Tyler ML. *The Remedy Picture Series*. New Delhi: B. Jain Publishers; 2004.
5. Kent JT. *Repertory of the Homeopathic Materia Medica*. New Delhi: B. Jain Publishers; 2000.
6.Boericke W. *Pocket Manual of Homeopathic Materia Medica*. New Delhi: B. Jain Publishers; 2004.
7. Vithoulkas G. *The Science of Homeopathy*. New York: Grove Press; 1980.
8. Bates B, Bickley LS. *Bates' Guide to Physical Examination and History Taking*. 12th ed. Philadelphia: Wolters Kluwer; 2017.
9. Pareek R, Pareek A. *Principles and Practice of Homeopathy*. New Delhi: B. Jain Publishers; 2005.
10. Allen TF. *The Encyclopedia of Pure Materia Medica*. New York: Boericke& Tafel; 1874.
11. Bell IR, Koithan M. Models for the study of whole systems. *Integr Med Insights*. 2006;1:25–36.
12. Mathie RT. The research evidence base for homeopathy: a fresh assessment of the literature. *Homeopathy*. 2003;92(2):84–91.
13. Khuda-Bukhsh AR. Towards understanding molecular mechanisms of action of homeopathic drugs: an overview. *Mol Cell Biochem*. 2003;253(1-2):339–345.
14. Ortega P. *Notes on the Miasms*. New Delhi: National Homeopathic Pharmacy; 1980.
15.Phatak SR. *Materia Medica of Homeopathic Medicines*. New Delhi: B. Jain Publishers; 2004.
16. Sharma V, Devanand. *Anatomy in Homeopathic Practice: Importance and Insights*. Indian Journal of Homeopathic Medicine. 2020;55(3):142–147.

Dr. Sunil Bhosle
Department of Anatomy
Gandhi Natha Rangji Homoeopathic Medical College, Solapur

PRO LIFE ERA HOMEOPATHY JOURNAL
e-ISSN XXXX-XXXX Volume - 1 Issue - 4 Bhopal Publish Date 1st June 2026

Homoeopathy in Surgical Cases - A Powerful Alternative in Renal Stones

In the world of medicine, surgery often becomes the go-to option for managing conditions like renal stones. However, Homoeopathy offers a powerful, non-invasive alternative that focuses on *individualized care*, targeting not just the pathology but the patient as a whole. With accurate diagnosis and a thorough understanding of the symptom totality, Homoeopathy has helped many patients avoid surgery and achieve long-term relief.

Homoeopathy: Beyond Symptom Suppression-Unlike conventional medicine which often relies on surgical removal or lithotripsy, Homoeopathy works by stimulating the body's natural healing mechanisms. It takes into account the **unique symptoms** of each patient and addresses both the acute pain of renal colic and the underlying tendency to form stones.

Clinical Presentation of Renal Stone Cases-Patients with renal calculi may present with varied symptoms:

•Acute pain in the lumbar region or flanks
•Radiation of pain to groin, bladder, or urethra
•Burning or scalding urination
•Hematuria (blood in urine)
•Nausea or vomiting during colic
•Frequent, painful, or difficult urination
•Presence of gravel or sand in urine

These diverse symptom expressions demand *individualized remedies*, making Homoeopathy especially suitable for such cases.

Key Homoeopathic Remedies in Renal Stone Cases-Here is a detailed list of **classical and frequently indicated remedies** in cases of kidney stones, based on symptom differentiation:

•Berberis vulgaris-•*Keynote:* Stitching, shooting pain from kidney to ureter or bladder, worsened by motion or jarring.
•*Urine:* Dark, with red sediment; bubbling or soreness in the region of kidneys.
•*Side:* Typically left-sided.

•Lycopodium clavatum-•*Keynote:* Right-sided renal colic with gas, distension, and red sand in urine.
•*Urine:* Scanty, high-colored, with sediment.
•*Other:* Worse 4–8 p.m., loves warm drinks.

•Sarsaparilla-•*Keynote:* Pain at the *end* of urination; urine passed better standing.
•*Urine:* Sandy, bloody; severe burning.
•*Other:* Gravel in urine with severe pain and weakness.

•Hydrangea arborescens-
•*Keynote:* Known as the "Stone Breaker."
•*Urine:* Profuse, cloudy, with white or yellow sand; sometimes blood.
•*Indication:* Enlarged prostate with urinary issues.

•Cantharis vesicatoria-
•*Keynote:* Violent burning before, during, and after urination; constant urge to urinate.
•*Urine:* Blood-tinged, scanty.
•*Other:* Tenesmus, restlessness, intense inflammation.

•Ocimum canum-•*Keynote:* Right-sided colic; nausea and vomiting with pain.
•*Urine:* High in uric acid; red sediment like brick dust., •*Other:* Smell of urine like basil.

•Pareira brava-•*Keynote:* Pain radiating from kidney to thighs; patient must bend forward or kneel to urinate.,
•*Urine:* Dark, bloody, with gravel.
•*Other:* Pain relieved by position change.

•Belladonna-•*Keynote:* Sudden, intense pain with congestion; worse on the right.
•*Urine:* Scanty, sometimes retained.
•*Other:* Sensitive to touch, heat, and jarring.

•Equisetum hyemale-•*Keynote:* Urging with little urine; dull pain in bladder region.
•*Urine:*Clear, abundant/scanty with cutting pain
•*Other:* Pain not relieved after urination.

•Nux vomica-•*Keynote:* Ineffectual urging to urinate; spasmodic pain., •*Urine:* Dark, scanty.
•*Other:* Often in irritable, sedentary patients with overindulgence.

•Colocynthis-•*Keynote:* Colicky pain relieved by bending double or hard pressure.
•*Urine:* Normal or scanty, depending on spasm severity., •*Use:* Acute renal colic, especially when pain is cramping.

•Thuja occidentalis-•*Keynote:* Urinary tract infections with stone tendency; forked stream of urine., •*Urine:* Cloudy, offensive.
•*Other:* Weak urinary stream, residual urine.

•Calcarea carbonica-•*Keynote:* Tendency to stone formation; associated with sluggish metabolism., •*Urine:* Cloudy with sediment.
•*Other:*Chilly patient, overweight, sweats easily

•Uva ursi-•*Keynote:* Chronic cystitis with gravel; urinary tenesmus.
•*Urine:* Offensive, purulent, or bloody.
•*Use:* Adjunct remedy in chronic urinary issues.

•Benzoic acid
•*Keynote:* Urine with strong, offensive odor; dark brown in color.
•*Other:*Joint pains may accompany renal issues.

The Art of Individualization-Each of these remedies must be chosen **after careful case-taking** that includes:

•Location, nature, and modality of pain
•Character of urine
•General symptoms and constitution
•Mental and emotional state

The beauty of Homoeopathy lies in **individua-lization**-even two patients with kidney stones might receive completely different remedies based on their symptoms and constitution.

When Surgery Is Suggested-Can Homoeopathy Still Help?-Absolutely. Even in cases where surgery is suggested, Homoeopathy can:

•Reduce acute inflammation and pain
•Dissolve or help pass small and medium-sized stones, •Prevent recurrence
•Improve the overall function of kidneys and urinary tract
•Avoid complications and reduce dependency on painkillers

Conclusion-Homoeopathy has a **well-defined and powerful role** in the treatment of renal stones. From managing acute renal colic to dissolving stones and preventing recurrence, it has shown **tremendous clinical success**. The key lies in **accurate diagnosis, complete symptom recording, and remedy selection based on totality**.

Before opting for surgery, every patient should consider Homoeopathic treatment—**safe, non-invasive, and holistic**. With an experienced Homoeopath, surgical cases can often be managed successfully, offering long-term relief and healing.

Choose Homoeopathy first—it may save you from the surgeon's knife

References-1. Boericke, William. *Pocket Manual of Homoeopathic Materia Medica.* Philadelphia: Boericke & Tafel, 1927. *(Key source for materia medica of Berberis vulgaris, Lycopodium, Cantharis, etc.)*

2. Allen, H.C. *Keynotes and Characteristics with Comparisons.* B. Jain Publishers. *(Provides essential clinical keynotes for rapid remedy differentiation.)*

3. Clarke, J.H. *A Dictionary of Practical Materia Medica.* B. Jain Publishers. *(Detailed clinical indications of lesser-known remedies like Pareira brava, Ocimum canum.)*

4. Kent, James Tyler. *Lectures on Homoeopathic Materia Medica.* B. Jain Publishers. *(Emphasis on remedy action based on mental and physical constitution.)*

5. Murphy, Robin. *Homoeopathic Medical Repertory* (3rd Edition). Lotus Health Institute. *(Used for repertorization and symptom-based remedy selection.)*

6. Gupta, G., Srivastava, A.K., & Kumar, R. "Role of Homoeopathy in Renal Calculi: A Clinical Study." *International Journal of Homoeopathic Sciences*, 2019; Vol 3(2): 45–49. [Available at www.homoeopathicjournal.com]

7. Mishra, M., & Shukla, R.K."Efficacy of Berberis vulgaris in Renal Calculi – A Case Series." *Indian Journal of Research in Homoeopathy*, 2017; Vol 11(1): 22–28.

8. National Center for Homeopathy (NCH) Website: https://www.homeopathycenter.org *(General articles on Homeopathy's use in chronic and acute conditions.)*

9. PubMed Database–for indexed homeopathy research articles Website: https://pubmed.ncbi.nlm.nih.gov *(Search terms: "Homeopathy renal stones", "Homeopathy urolithiasis".)*

10. AYUSH Ministry (Government of India) *Homoeopathy in Chronic Kidney Diseases and Urological Disorders.* https://www.ayush.gov.in *(Policy papers and clinical evidence from AYUSH systems.)*

Dr. Mohd. Shafiuddin
MD Part.2nd
Department. Practice of Medicine
Batch 2021-2024
RKDF Homoeopathic Medical College & Research Center
Jat Khedi Hoshangabad Road Bhopal
Guide by-**Dr. Hemlata Patel**

PRO LIFE ERA HOMEOPATHY JOURNAL
e-ISSN XXXX-XXXX Volume - 1 Issue - 4 Bhopal Publish Date 1st June 2026

The Supportive Role of Homoeopathy in Cancer Patients Undergoing Chemotherapy

In the ever-evolving field of medicine, the supportive role of **Homoeopathy in cancer (CA) treatment** is gaining significant attention. While Homoeopathy is not a substitute for conventional cancer treatment, it has been found to play a vital **complementary role**, especially during the physically and emotionally taxing period of chemotherapy.

Homoeopathy: A Ray of Support in Chemotherapy-Cancer patients undergoing chemotherapy often experience a variety of side effects—ranging from **nausea, vomiting, and fatigue** to more serious concerns such as **decreased white blood cell (WBC) count and hemoglobin (Hb) levels**. In such situations, the body sometimes fails to respond to conventional medicines due to the toxicity and immune suppression caused by chemotherapy. This is where **Homoeopathy steps in as a gentle yet effective supportive therapy**.

When All Else Fails, Homoeopathy Heals-Several patients report that **Homoeopathic remedies provide relief** when other medicines fail to show any positive effect. These medicines work on the principle of individualization, addressing not only the disease but also the **patient's unique constitution, emotional state, and symptomatology**.

Homoeopathy doesn't interfere with ongoing treatments like chemotherapy or radiotherapy. Instead, it helps the body cope better with their adverse effects. Many Homoeopathic physicians and integrative oncologists have documented cases where **Homoeopathy helped maintain WBC counts, reduced fatigue, and improved appetite and mental well-being**.

Key Homoeopathic Remedies Used in Cancer Support-Several Homoeopathic medicines are frequently used to support cancer patients, including:

1. Apis Mellifica-
•Useful in conditions with **edema, fluid retention, and stinging pains**.
•Often indicated in **ascites, pleural effusion**, or **post-radiation inflammation**.

2. Thuja Occidentalis-
•Indicated in patients with **abnormal tissue growths**, tumors, and a history of **vaccination or suppressed skin conditions**.
•Often used in cases of **uterine or skin cancers**.

3. Colocynthis-•Known for alleviating neuralgic pains & colicky abdominal cramps, especially in abdominal or pelvic cancers.
•Also beneficial in cases of pain aggravated by anger or emotional disturbances.

4. Carcinosinum-
•A **deep-acting constitutional remedy**, often used when there is a **family history of cancer or tuberculosis**.
•Helpful in emotionally sensitive, perfectionist individuals, and often indicated in **breast or uterine cancers**.

5. Conium Maculatum-
•Suited for **hard, indurated glands**, especially in breast or prostate cancer.
•Indicated when there's **gradual mental and physical weakness**, vertigo, and **painful, stony tumors**.

6. Phytolacca Decandra-
•Indicated in **breast cancer**, especially when there is pain, hardness, and **discoloration** of the skin.
•Also useful in **lymphatic involvement** and glandular swellings.

7. Hydrastis Canadensis-
•Useful in **mucous membrane cancers**, especially of the **stomach or breast**.
•Patients often complain of **thick, ropy, yellow discharges** and general weakness.

8. Kali Carbonicum-
•Beneficial in cancers involving the **lungs or liver**, where there is **sharp stitching pain** and **deep-seated weakness**.
•Supports recovery from **anemia and breathlessness** caused by chemotherapy.

9. Natrum Muriaticum-
•Used for patients with **deep emotional suppression**, grief, or unresolved sorrow-commonly seen in cancer patients.
•Helpful in maintaining emotional balance and **recovery post-therapy**.

10. Cadmium Sulphuratum-•A specific remedy for side effects of chemotherapy, inclu-ding nausea, vomiting, profound exhaustion.
•Often used as an **inter-current** to support detoxification.

11. Radium Bromatum-
•Used in cases of **radiation-induced damage**, like **burning pains, skin eruptions, or ulcerations** after radiotherapy.

12. Ruta Graveolens-
•A valuable remedy in cases where there is **bone involvement**, such as in bone metastases.
•Also used for **tendon and periosteal pain** post-chemotherapy.

13. Symphytum Officinale-
•Supports **bone regeneration and healing**, especially in cases where cancer affects the **skeletal system**.

14. Silicea-
•Indicated in **chronic abscesses, suppurations, or delayed healing** after surgery or chemotherapy.
•Helps in **drainage and immune support**

These medicines are not prescribed arbitrarily. **A qualified Homoeopath selects the remedy after a detailed case-taking**, analyzing both physical and mental symptoms, past medical history, and current condition.

An Integrative Approach is the Future-It's important to understand that **Homoeopathy is not a cure for cancer**, but a **supportive therapy that enhances the quality of life**. When integrated with conventional treatment under expert supervision, it helps:
•Minimize side effects of chemotherapy
•Boost the immune system
•Alleviate psychological stress and anxiety
•Improve the patient's overall response to treatment

Conclusion-In this new era of personalized medicine, **Holistic and integrative care is the way forward**. Homoeopathy, with its individualized approach and minimal side effects, offers a **compassionate and effective support system for cancer patients** navigating through one of the toughest phases of their lives.

As more research and clinical evidence continue to emerge, Homoeopathy's role in integrative oncology is becoming clearer and more respected across the globe.

References-Banerji, P., & Banerji, P. (2008). **Cancer: My Homeopathic Approach**. Pratip Banerji Homeopathic Research Foundation. *Details specific clinical experiences using Homoeopathy as adjunct therapy in cancer care*
1. Central Council for Research in Homoeo pathy (CCRH), Ministry of AYUSH, Government of India. *Provides data and research findings on the role of Homoeopathy in chronic and life-threatening diseases.* Website: https://www.ccrhindia.nic.in
2. Mathie, R. T., et al. (2014). Randomised placebo-controlled trials of individualised homeopathic treatment: a systematic review of the literature. *Systematic Reviews*, 3(1), 142. DOI:10.1186/2046-4053-3-142 *Addresses evidence-based evaluation of individualized homeopathic treatment.*
4. Frei, H., et al. (2006). Homeopathy in paediatric oncology: Retrospective analysis of clinical data. *Oncology Reports*, 15(6), 1307–1313. *Explores the use of Homoeopathy in pediatric cancer cases.*
5. Oberbaum, M., Yaniv, I., Ben-Gal, Y., et al. (2001). A randomized, controlled clinical trial of the homeopathic medication TRAUMEEL S® in the treatment of chemotherapy-induced stomatitis in children undergoing stem cell transplantation. *Cancer*, 92(3), 684–690. DOI:10.1002/1097-0142(20010801)92:3<684::AID-CNCR1417>3.0.CO;2-2 *Demonstrates benefit of a homeopathic preparation in chemotherapy-induced mucositis.*
6. Pathak, S., Multani, A. S., Banerji, P., Banerji, P., & Raghavan, S. C. (2006). Ruta 6 selectively induces cell death in brain cancer cells but proliferation in normal peripheral blood lymphocytes: A novel treatment for human brain cancer. *International Journal of Oncology*, 23(4), 975–982.
7. Experimental study showing the potential anti-cancer effect of the homeopathic remedy Ruta.
8. Khuda-Bukhsh, A. R. (2003). Towards understanding molecular mechanisms of action of homeopathic drugs: An overview. *Evidence-Based Complementary and Alternative Medicine*, 1(2), 153–167. DOI: 10.1093/ecam/neh025

Dr. Vedpraksh Yadav
Batch 2021-2024, MD Part –II
Homoeopathic Philosophy
RKDG Homoeopathic Medical College & Hospital Research Centre Bhopal (M.P.)
Guided by- **Dr. Indu Yaduvanshi**

PRO LIFE ERA HOMEOPATHY JOURNAL
e-ISSN XXXX-XXXX Volume - 1 Issue - 4 Bhopal Publish Date 1st June 2026

Ferrum Phosphoricum in Anemia- A Homeopathic Perspective

Abstract-Anemia is a prevalent hematological disorder characterized by reduced red blood cells (RBCs) or hemoglobin, leading to impaired oxygen transport. Conventional medicine treats anemia with iron supplements and dietary modifications, whereas homeopathy provides a holistic approach by addressing underlying imbalances. Ferrum Phosphoricum (Ferrum Phos) is a key biochemic remedy in homeopathy, particularly beneficial in early-stage anemia with symptoms like mild weakness, pallor, and low-grade inflammation. This article explores the homeopathic indications of Ferrum Phosphoricum, its role in enhancing iron metabolism, and complementary dietary and lifestyle interventions.

Introduction-Anemia affects millions worldwide, with iron deficiency being the most common cause. It significantly impacts quality of life, causing fatigue, pallor, and reduced immunity. Homeopathy approaches anemia constitutionally, viewing it as a systemic disorder requiring individualized treatment. Ferrum Phosphoricum, a biochemic tissue salt, is often prescribed in anemia with mild inflammatory conditions and weakness.

Definition of Anemia-Anemia is defined as a reduction in RBC count or hemoglobin levels below normal physiological values. The World Health Organization (WHO) considers anemia present when hemoglobin levels fall below 13 g/dL in men and 12 g/dL in women.

Causes of Anemia-Anemia can arise from various etiological factors, broadly classified as follows:

Nutritional Deficiency Anemia-

•Iron Deficiency Anemia: Caused by inadequate iron intake, poor absorption, or chronic blood loss.

•Vitamin B12 and Folic Acid Deficiency: Results from poor diet, malabsorption syndromes, or increased demand during pregnancy.

•**Anemia of Chronic Disease-**Associated with chronic infections, inflammatory diseases, kidney disorders, and malignancies.

•**Blood Loss Anemia-**Acute or chronic bleeding due to trauma, surgery, heavy menstruation, or gastrointestinal ulcers.

•**Hemolytic and Aplastic Anemia-**Caused by premature destruction of RBCs or failure of bone marrow to produce new cells.

Symptoms of Anemia-

Common Symptoms Include-

•Fatigue and weakness

•Pale or yellowish skin

•Shortness of breath and dizziness

•Cold extremities and irregular heartbeat

•Headaches and difficulty concentrating

Ferrum Phosphoricum in Anemia-Ferrum Phosphoricum is a homeopathic remedy widely used in anemia, particularly in its initial stages. It is indicated in cases where inflammation, mild fever, and circulatory disturbances accompany iron deficiency.

Indications of Ferrum Phosphoricum in Anemia-

•**Early-Stage Iron Deficiency Anemia-**When anemia is just developing with mild fatigue and pallor.

•**Anemia Following Blood Loss-**Useful in cases of minor hemorrhages leading to weakness.

•**Low-Grade Infections and Chronic Inflammatory Anemia**–Helps restore iron balance in patients with prolonged illness.

•**Digestive Weakness and Poor Iron Absorption**–Beneficial in cases where iron is not adequately absorbed.

•Characteristic Alternating Pallor and Flushing–A key feature in patients requiring Ferrum Phosphoricum.

Dosage & Administration-Ferrum Phosphoricum is commonly used in 3X, 6X, or 12X potencies in tablet form. The recommended dosage varies based on individual needs, generally prescribed 3-4 times daily for sustained improvement.

Auxiliary Treatment for Anemia-

1. Nutritional Support-

•**Iron-Rich Foods-**Spinach, beetroot, red meat, legumes, nuts, and fortified cereals.

•**Vitamin C Sources-**Citrus fruits, tomatoes, and bell peppers aid in iron absorption.

•**B12 & Folate Sources-**Dairy, eggs, seafood, & leafy greens support RBC formation.

2. Hydration and Detoxification-Drinking adequate water and herbal teas like nettle and dandelion supports iron absorption.

3.Lifestyle Modifications-Moderate exercise, yoga, and avoiding caffeine or alcohol enhance metabolic efficiency and circulation.

Conclusion-Ferrum Phosphoricum is a valuable homeopathic remedy for anemia, particularly in its early stages and when mild inflammatory conditions are present. It helps restore iron metabolism, improve circulation, and alleviate symptoms like fatigue and pallor. Combining homeopathy with proper nutrition, hydration, and lifestyle changes enhances therapeutic outcomes. Consulting a qualified homeopath ensures appropriate remedy selection for individualized care.

Dr. Ayushi Gundesha
BHMS, MD Part 1, DKMM College
Guide-**Dr. Shalini Ankushe**
HOD (Hom Materia Medica)-**Dr. Shalini Ankushe**
Principal-**Dr. Shalini Ankushe**
DKMM Homoeopathic Medical College, Chhatrapati Sambhajinagar, Maharashtra

e-ISSN XXXX-XXXX Volume - 1 Issue - 4 Bhopal Publish Date 1st June 2026

PRO LIFE ERA
HOMEOPATHY JOURNAL

A Mind Body Approach To APD: Using Homeopathic Mental Rubrics to Manage Stress Induced Symptoms

Abstract-Acid peptic disease (APD) is caused by excessive acid secretion or weakened mucosal defence. Stressful & hurried life is one of the contributing factors for its increased cases. Symptoms include epigastric pain, bloating, and nausea. Acid peptic disease can be managed effectively by homeopathic medicine. Homeopathic approach, common remedies and benefits of life style management are discussed in this article.

Keywords-Acid peptic disorder, stress induced APD, Homeopathic medicine, Holistic approach, Diet management, yoga asanas.

Introduction–Acid peptic disorders are the result of distinct, but overlapping pathogenic mechanisms leading to either excessive acid secretions or diminished mucosal defence. (1) Most ulcers occur in the stomach and proximal duodenum while less commonly in the lower oesophagus, the distal duodenum or the jejunum.

Causes & risk factors of APD–Pyloric infection, stress induced, long term use of NSAID, alcohol, smoking, Zollinger–Elison syndrome, Crohn's Disease etc.

•**Symptoms-**Most common presentation is recurrent abdominal pain, with three notable features: -localization to epigastrium, relationship to food & episodic occurrence (9).

•**Investigations-**Complete Blood Count, Endoscopy/ Biopsy, Barium meal, Stool examination.

Homeopathic View-(3)- Hahnemann considered man as a composite being, a multidimensional entity, a unit of life, consciousness with intelligence and stated, „it is the patient who is sick and not the organs. Considering the psychosomatic relationship in APD, a detailed and careful case taking is necessary, which helps in person diagnosis, disease diagnosis and management of the case, both in general as well as therapeutic planning. Thus, Homoeopathy has good vital role in treating APD.

Our master Dr. Hahnemann has given specific diet and mode of living for the patients who are under homoeopathic treatment for a chronic disease. This was illustrated detail in his theory of chronic diseases.

Stuart close (12) explained the cause of disease in his "the genius of Homoeopathy" states that "emotional causes such as continued anxiety, worry, vexation, wrongs and frequent occurrence of fear and fright in time destroys the corporeal health often to a great degree.

Common Homeopathic Remedies For APD-(7) Stress induced acid peptic disease can be managed effectively by homeopathic medicine.

•**Argentumnitricum**-for symptoms such as anxiety, stress, & abdominal pain

•**Nuxvomica**-heartburns, regurgitation, nausea, & abdominal pain especially after eating

•**Phosphorus**-vomiting as soon water gets warm in the stomach, burning, eructation's

•**Lycopodium**–bloating, flatulence & abdominal pain

•**Arsenicumalbum**-burning pain in abdomen, nausea and vomiting

•**Carbovegetablis**-weak digestion, flatulence, bloating and many other remedies are their which are chosen on the basis of symptom similarity and individualization.

Mind Rubrics-•Anxiety; Stomach symptoms with (Ars, Bell, Nux-v)

•Irritability; Stomach symptoms with(Bell, Nux-v, Cham)

•Anxiety, eating, after (Arg-n, calc, Nux-v)

•Fear, food, of (Arg-n, Calc, Lyc)

•Anxiety, stomach, about (Arg-n, Nux-v)

•Stress, stomach, Affects (Nux-v, Cham, Coloc)

•Mental exertion, agg.(Nux-v, coloc, Cham)

Stomach Rubric-•Stomach; Pain; burning (Ars, Bell, Bry, Carb-v, Nux-v)

•Stomach; Pain; gnawing (Ars, Bry, Carb-v, Nux-v)

•Stomach; Pain; cramping (Bell, Bry, Coloc, Nux-v)

•Stomach; Ulceration (Ars, Bell, Bry, Kali-bi, Nux-v)

Food And Drink Rubric-•Food and drinks; Coffee; aggravates (Nux-v, Cham)

•Food and drinks; Spicy food; aggravates (Ars, Bell, Bry)

•Food and drinks; Fatty food; aggravates

Modalities-•Worse; Night (Ars, Bell, Bry, Nux-v)

•Worse; After eating (Bry, Carb-v, Nux-v)

•Better; Cold drinks (Ars, Bell, Bry)

Case-A female patient, age 23 years complaining of abdominal pain near umbilical region extending to chest, with vomiting since 1 month

•**Past history**-abdominal pain with heart burns treated with allopathic medicine

•**Family history**- mother is diabetic

•**Menstrual history**-regular

•**Physical generals-**Appetite–reduced

•**Thirst** –drinks little water

•**Desires**-spicyfood

Life Space-She is studious and friendly girl, belonging to middle class family she wants to support her family financially so, She has to stop her further studies and start a job, where she was treated badly by her boss and colleague, hence she decided to leave the job. Now she is in search of job but not getting it, while her other friends are working and earning money.

•**Analysis & evaluation-**Patient is sincere in her work, sensitive to rudeness, has taken responsibility on herself in early age and now she is stressed out due to not finding the job, she is also comparing herself with her friends who are doing job. She also don't want to trouble anyone.

Repertorial Totality-

•MIND-anxiety-money matters about

•MIND-Asking nothing for

•MIND-duty too much sense of duty

•MIND-Responsibility taken too seriously

•MIND-speech slow

•Stomach-vomiting drinking immediately Stomach–vomiting accompanying cough

Basis of Prescription-Case was reporterized using synthesis repertory and prescri bed with arsenic album 200 four doses, along with sac. Lac. For one week & advice of diet management and yoga pranayama.

FollowUp-Patient was improved, with no abdominal pain and vomiting, increased appetite, her anxiety levels were also reduced with a positive look out & enthusiasm.

Conclusion-Homeopathic medicine offers a safe and effective approach to managing stress-induced acid peptic disorder. By addressing the underlying stress and anxiety, homeopathic remedies can help alleviate APD symptoms and promote overall well-being. As per Dr Hahnemann life style improvement, diet management, exercise and yoga can play important role in management of Acid Peptic Disorder.

References-1.Mejia A, Kraft WK. Acid peptic diseases: pharmacological approach to treatment. *Expert Rev Clin Pharmacol.* 2009 May;2(3):295–314

2. Dr. Leena Dighe, Usefulness Of Homeopathc Medicines In Case Of Gastro-oesophgeal Reflux, Acid Peptic Disorder, Irritable Bowel Syndrome, A Retrospective Study, NJIRM 2020 VOL 11 May-June

3. Davidson's principles and practice of medicine 23rd edition 2018. Elsevier Publication (799)

4.https://my.clevelandclinic.org/health/diseases/10350-peptic-ulcer-disease

5. Devesh Kumar Pandey, Sunil Kumar, Holistic approach of homeopathy in GERD, TJHMS vol. 5 Oct /Dec 2022

6. Close Stuart. The genius of homoeopathy lectures and essay son homoeopathic philosophy. Reprint ed. New Delhi: B. Jain Publishers; 2008, 2009.

7. H.C. Allen, Allen's Key-notes Rearranged & Classified (10th edition) 2020(43,86,224)

Dr. Sanjogita Patil (MD Part 1)
Dr. S.M. Wagh, Dr. S. Ankushe,
Dr. Suvarna Patil Dept. of Repertory,
D.K.M.M.H.M.C Chh. Sambhajinagar
sanjogitapatil@gmail.com